

## 1. IDENTIFICATION OF THE SUBSTANCE PREPARATION AND COMPANY UNDERTAKING

### 1.1 PRODUCT IDENTIFIER

Product name: Toner Cartridge for Canon 0386B003AA (GPR-22)  
Part number: CNMGPR22

### 1.2 IDENTIFIED USES AND USES ADVISED AGAINST

For use in: Laser Printers

### 1.3 SUPPLIER DETAILS

Supplier: Clover Imaging Group  
4200 Columbus Street  
Ottawa, IL 61350  
United States  
Phone number: 815-431-8100  
Fax: 815-461-8583  
Contact Hours: 08:00AM-05:00PM CST

### 1.4 EMERGENCY TELEPHONE NUMBERS

Supplier: 815-431-8100

\* This document provides safety-related information about ink/toner, in various forms, for use in copiers/printers etc.

## 2. HAZARDS IDENTIFICATION

### 2.1 INFORMATION and CLASSIFICATION

Overview: Potential Health Effects: Eyes, Not an irritant; Skin, A non- irritant and non-sensitizer; Ingestion, Practically non-toxic; Inhalation, Minimal respiratory tract irritation may occur as with exposure to large amounts of non-toxic dust TLV:10 mg/cubic meter(Total Dust)·5 mg/cubic meter(Respirable Dust).

### 2.2 LABEL ELEMENTS

Applicable Pictograms:



Danger Indications: N/A

Risk Phrases: N/A

Safety Phrases: N/A

### 2.3 OTHER HAZARDS

PBT or vPvB: N/A

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredients                      | CAS number  | Weight % | OSHA PEL | ACGIH TLV | Other |
|----------------------------------|-------------|----------|----------|-----------|-------|
| Amorphous Silica                 | 068909-20-6 | <1       |          |           |       |
| Dye                              | 84179-66-8  | <5       |          |           |       |
| Iron Oxide                       | 317-61-9    | 30-50    |          |           |       |
| Propylene/Ethylene Copolymer Wax | 9010-79-1   | <5       |          |           |       |
| Styrene Acrylate                 | 58048-89-8  | 40-45    |          |           |       |

The Full Text for all R-Phrases are Displayed in Section 16

#### COMPOSITION COMMENTS

The Data Shown is in accordance with the latest Directives.

This section provides composition information for the specified substance/mixture.

### 4. FIRST-AID MEASURES

#### 4.1 FIRST AID MEASURES

##### 4.1.1 FIRST AID INSTRUCTIONS BY RELEVANT ROUTES OF EXPOSURE

Inhalation: Remove from exposure.  
 Eye contact: Flush with water.  
 Skin contact: Wash with Soap and water.  
 Ingestion: Dilute stomach contents with several glasses of water.

##### 4.1.2 ADDITIONAL FIRST AID INFORMATION

Additional first aid information: N/A  
 Immediate Medical Attention Required: N/A

#### 4.2 SYMPTOMS AND EFFECTS

Acute Symptoms from Exposure: N/A  
 Delayed Symptoms from Exposure: N/A

#### 4.3 IMMEDIATE SPECIAL TREATMENT OR EQUIPMENT REQUIRED

N/A

### 5. FIRE-FIGHTING MEASURES

#### 5.1 EXTINGUISHING MEDIA

Recommended Extinguishing Media: Water, foam, dry chemical.

Extinguishing Media Not to be Used: N/A

#### 5.2 SPECIAL HAZARD

Unusual Fire/Explosion Hazards: Toner is a combustible powder. When dispersed in air, it forms explosive mixtures.

Extinguishing Media Not to be Used: N/A

#### 5.3 ADVICE FOR FIRE FIGHTERS

Avoid inhalation of smoke. Wear protective clothing and wear self-contained breathing apparatus

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

##### 6.1.1 PRECAUTIONS FOR NON-EMERGENCY PERSONNEL

N/A

##### 6.1.2 ADDITIONAL FIRST AID INFORMATION

N/A

##### 6.1.3 PERSONAL PROTECTION

Wear personal protective equipment as described in Section 8.

#### 6.2 ENVIRONMENTAL PRECAUTIONS

Regulatory Information: Keep product out of sewers and watercourses.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP

Spill or Leak Cleanup Procedures: Loose toner can be removed using a vacuum cleaner. Residue can be removed with Soap and water. After removal of loose toner, garments may be washed or dry cleaned.

## 7. HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

Recommendations for Handling: No special precautions when used as intended. Keep containers closed. If toner, avoid creating dust. Keep away from ignition sources.

Advice on General Hygiene: Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

### 7.2 CONDITIONS FOR SAFE STORAGE

Avoid high temperatures, >100°F/32°C

### 7.3 SPECIFIC END USES

Printing devices

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS

The best protection is to enclose operations and/or provide local exhaust ventilation at the site of chemical release in order to maintain airborne concentrations of the product below OSHA PELs (See Section 3). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

### 8.2 EXPOSURE CONTROLS

#### Respiratory protection:

IMPROPER USE OF RESPIRATORS IS DANGEROUS. Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134 and 1910.137) and, if necessary, wear a NIOSH approved respirator. Select respirator based on its suitability to provide adequate worker protection for given work conditions, levels of airborne contamination, and sufficient levels of oxygen.

#### Eye/Face Protection:

Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

#### Hand/Skin Protection:

For emergency or non-routine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. WARNING! Air purifying respirators do not protect worker in oxygen deficient atmospheres.

#### Additional Protection:

N/A

#### Protective Clothing and Equipment:

Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear splash-proof chemical goggles and face shield when working with liquid, unless full face piece respiratory protection is worn.

#### Safety Stations:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

#### Contaminated Equipment:

Separate contaminated work clothes from street clothes. Launder before reuse. Remove material from your shoes and clean personal protective equipment. Never take home contaminated clothing.

#### Comments:

Never eat, drink or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the restroom, or applying cosmetics.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 **DETAIL INFORMATION**

|                            |  |
|----------------------------|--|
| Physical state:            | APPEARANCE: Finely divided black powder. |
| Color:                     | Black                                    |
| Odor:                      | Faint                                    |
| Odor threshold:            | N/A                                      |
| Boiling point:             | N/A                                      |
| Melting point:             | 92°C                                     |
| Flash point:               | N/A                                      |
| Explosion limits:          | N/A                                      |
| Relative density:          | N/A                                      |
| Auto-ignition temperature: | N/A                                      |

### 9.2 **OTHER INFORMATION**

SOLUBILITY (IN WATER): Negligible. SPECIFIC GRAVITY: ~1.3.

## 10. CHEMICAL STABILITY AND REACTIVITY

### 10.1 **Reactivity:**

**Reactivity Hazards:** None

**Data on Mixture Substances:** None

### 10.2 **Chemical Stability:**

The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur.

### 10.3 **Hazardous Polymerization:**

Stable under conditions of normal use.

### 10.4 **Conditions to Avoid:**

Keep away from heat, flame, sparks and other ignition sources.

### 10.5 **Incompatible Materials:**

Strong oxidizing materials

### 10.6 **Hazardous Decomposition:**

Will not occur.

### 11. INFORMATION ON TOXICOLOGICAL EFFECT

|                                    |   |
|------------------------------------|---|
| <b>Mixtures:</b>                   | Exposure: This material when used as intended does not represent a health or safety hazard.   |
| <b>Acute Toxicity:</b>             | N/A   |
| <b>Skin Corrosion/Irritation:</b>  | N/A   |
| <b>Serious Eye Damage:</b>         | N/A   |
| <b>Inhalation:</b>                 | N/A   |
| <b>Sensitization:</b>              | N/A   |
| <b>Mutagenicity:</b>               | No mutagenicity detected.   |
| <b>Carcinogenicity:</b>            | None Present.   |
| <b>Reproductive Toxicity:</b>      | N/A   |
| <b>STOT - Single Exposure:</b>     | Medical Conditions Aggravated by: None when used as described by product literature.  |
| <b>STOT - Multiple Exposure:</b>   | Miscellaneous Toxicological Information: In a Xerox sponsored chronic inhalation study in rats, using a special toner, there were no lung changes at all in the lowest exposure level (1 mg/cubic meter), the most relevant level to potential human exposures. A very slight degree of fibrosis was noted in 25% of the animals at the mid-exposure level (4 mg/cubic meter), while a slight degree of fibrosis was observed at the highest exposure level (16 mg/cubic meter) in all animals. These findings are attributed to "Lung Overloading" (a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval). The special test toner was ten times more respirable than commercially available toners to comply with EPA testing protocol, and would not function properly in a copier or printing equipment. |
| <b>Ingestion:</b>                  | N/A   |
| <b>Hazard Class Information:</b>   | N/A   |
| <b>Mixture on Market Data:</b>     | N/A   |
| <b>Symptoms:</b>                   | N/A   |
| <b>Delayed/Immediate Effects:</b>  | N/A   |
| <b>Test Data on Mixture:</b>       | N/A   |
| <b>Not Meeting Classification:</b> | N/A   |
| <b>Routes of Exposure:</b>         | N/A   |
| <b>Interactive Effects:</b>        | N/A   |
| <b>Absence of Specific Data:</b>   | N/A   |
| <b>Mixture vs Substance Data:</b>  | N/A   |

### 12. ECOLOGICAL INFORMATION

|  |     |
|--|-----|
| 12.1 <b>Eco toxicity:</b>              | N/A |
| 12.2 <b>Degradability:</b>             | N/A |
| 12.3 <b>Bioaccumulation Potential:</b> | N/A |
| 12.4 <b>Mobility in Soil:</b>          | N/A |
| 12.5 <b>PBT &amp; vPvB Assessment:</b> | N/A |
| 12.6 <b>Other Adverse Effects:</b>     | N/A |

## 13. DISPOSAL CONSIDERATIONS

**Disposal Information:**

Dispose of product in accordance with local authority regulations.  
Empty container retains product residue.

**Physical/Chemical Properties that affect Treatment:**

Symbol: This product is not classified as dangerous

Risk Phrases: This product is not classified according to the federal, state and local environmental regulations.

**Waste Treatment Information:**

If toner, do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.

**Personal Protection Required:**

N/A

## 14. TRANSPORT INFORMATION

14.1 **ID Number:** N/A

14.2 **Shipping Name:** N/A

14.3 **Hazard Class:** N/A

14.4 **Packing Group:** N/A

14.5 **Environmental Hazards:** N/A

14.6 **User Precautions:** N/A

14.7 **Bulk Transport:** N/A

## 15. REGULATORY INFORMATION

15.1 **Regulatory Information:** N/A

**EPA Regulatory Information:** N/A

**CERCLA Reportable Quantity:** N/A

15.2 **Superfund Information:**

**Hazard Categories:**

**Immediate:** N/A

**Delayed:** N/A

**Fire:** N/A

**Pressure:** N/A

**Reactivity:** N/A

**Section 302 - Extremely Hazardous:** N/A

**Section 311 - Hazardous:** N/A

15.3 **State Regulations:** N/A

15.4 **Other Regulatory Information:** N/A

### 16. OTHER INFORMATION

**General Comments:** This information is based on our current knowledge. It should not therefore be construed as guaranteeing specific properties of the products as described or their suitability for a particular application

**Creation Date of this SDS:** 07/22/2020



**Key to Abbreviations and Acronyms used in this sheet:**

|  |   |
|--|---|
| ACGIH = American Conference of Governmental Industrial Hygienists            | NIOSH = National Institute for Occupational Safety and Health |
| CERCLA = Comprehensive Environmental Response Compensation and Liability Act | OSHA = Occupational Health and Safety Administration          |
| CLP = Classification, Labeling, and Packaging                                | PEL = Permissible Exposure Limit                              |
| DSD = Dangerous Substances Directive   | SCBA = Self Contained Breathing Apparatus                     |
| EPA = Environmental Protection Agency  | STOT = Specific Target Organ Toxicity                         |
| GHS = Globally Harmonized System   | TLV = Threshold Limit Value                                   |
| N/A = Not Applicable   | UK = United Kingdom   |
| NFPA = National Fire Protection Association                                  | UN = United Nations   |
|  |   |
|  |   |
|  |   |

**Ref:**

DISCLAIMER

All trademarks and models referenced are property of their respective holders and are used for identification purposes only. These products are not sponsored by, affiliated with, manufactured by or distributed by the named manufacturers. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.